

Fig. 1




Fig. 2A




Fig. 2B




Fig. 2C

ICI182,780	-	+	+	+	+	+
PD98059 ( $\mu$ M)	-	-	1	20	+	+
Staurosporine ( $\mu$ M)	-	-	-	-	.5	1




Fig. 3A

ICI182,780	-	+	+	+	+	+	+
Staurosporine ( $\mu$ M)	-	-	.01	.03	.06	.3	1




Fig. 3B

ICI 182,780	-	+	+	+	+	+	+	+
Time (h)	0	1	2	4	6	8	12	16




Fig. 4A

ICI 182,780	-	+	+	+	+	+	+
Time (h)	0	1	2	4	8	12	16




Fig. 4B




Fig. 4C

ICI182,780	-	+	+	+	+
Sterols	-	-	+	+	+




Fig. 5A

ICI182,780	-	+	+	+	+	+	+
Sterols	-	-	-	-	+	+	+




Fig. 5B




Fig. 6



ICI182,780	-	+	+	+	+	+
PD98059 ( $\mu$ M)	-	-	20	+	+	+
Curcumin ( $\mu$ M)	-	-	-	20	40	60




Fig. 7A

ICI182,780	-	+	+	+	+	+
PD98059 ( $\mu$ M)	-	-	20	+	+	+
Curcumin ( $\mu$ M)	-	-	-	20	40	60



Fig. 7B




Fig. 8A




Fig. 8B

**C ntrol**

G0-G1: 71.01%  
G2-M: 7.39%  
S: 21.60%

Counts

FL2-A

**+ICI182,780 18 h**

G0-G1: 70.73%  
G2-M: 14.81%  
S: 14.47%

Counts

FL2-A

**+ICI182,780 36 h**

G0-G1: 71.12%  
G2-M: 21.84%  
S: 7.03%

Counts

FL2-A

**Fig. 9**



ICI 182,780	-	+	+	+	+	+	+	+
Time (h)	0	1	2	4	8	16	24	36





Fig. 11